




RAD Power Machinery Co., Ltd.

INA NK29/30 needle roller bearings



Bearing No. NK29/30

Size	29x38x30 mm
Bore Diameter	29 mm
Outer Diameter	38 mm
Width	30 mm
F_w	29 mm
D	38 mm
C	30 mm
r_{min}	0,3 mm
m	84,3 g / Weight
C_r	37000 N / Dynamic load rating (radial)
C_{Or}	57000 N / Static load rating (radial)
C_{ur}	10600 N / Fatigue limit load, radial
n_G	15300 1/min / Limiting speed
n_B	8200 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.08
EAN	4012802701357
Product Group	B04270
Rolling Element	Needle Roller Bearing

NK29/30 Bearing 2D drawings and 3D CAD models



RAD Power Machinery Co., Ltd.

Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	29MM Bore; 38MM Outside Diameter; 30MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Other Features	2 Rib Outer Ring Radial Precision Bearing Steel Cage Light Duty Ground Raceway with Rib Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NK29/30
Weight / LBS	0.186
Outside Diameter	1.496 Inch 38 Millimeter
Bore	1.142 Inch 29 Millimeter
Width	1.181 Inch 30 Millimeter



RAD Power Machinery Co., Ltd.