




RAD Power Machinery Co., Ltd.



SKF 7001 CE/HCP4AH angular contact ball bearings

Bearing No. 7001 CE/HCP4AH

7001 CE/HCP4AH Bearing 2D drawings and 3D CAD models

Size	28x12x8 mm
Bore Diameter	28 mm
Outer Diameter	12 mm
Width	8 mm
d	12 mm
D	28 mm
B	8 mm
d ₁	17.5 mm
d ₂	16.5 mm
D ₁	22.45 mm
K	0.5 mm
C ₁	4.9 mm
r _{1,2} - min.	0.3 mm
r _{3,4} - min.	0.15 mm
a	6.7 mm
d _a - min.	14 mm
d _b - min.	14 mm
D _a - max.	26 mm
D _b - max.	26.6 mm
r _a - max.	0.3 mm
r _b - max.	0.15 mm
d _n	18.5 mm
Basic dynamic load rating - C	3.2 kN
Basic static load rating - C ₀	1.3 kN



RAD Power Machinery Co., Ltd.

Fatigue load limit - P_u	0.057 kN
Limiting speed for grease lubrication	98000 r/min
Limiting speed for oil lubrication	150000 mm/min
Ball - D_w	3.969 mm
Ball - z	12
G_{ref}	0.31 cm ³
Calculation factor - f_0	7.3
Preload class A - G_A	17 N
Preload class B - G_B	53 N
Preload class C - G_C	110 N
Calculation factor - f	1.02
Calculation factor - f	1
Calculation factor - f_{2A}	1
Calculation factor - f_{2B}	1.03
Calculation factor - f_{2C}	1.05
Calculation factor - f_{HC}	1.01
Preload class A	15 N/micron
Preload class B	24 N/micron
Preload class C	33 N/micron
d_1	17.5 mm
d_2	16.5 mm
D_1	22.45 mm
C_1	4.9 mm
$r_{1,2}$ min.	0.3 mm
$r_{3,4}$ min.	0.15 mm
d_a min.	14 mm
d_b min.	14 mm
D_a max.	26 mm
D_b max.	26.6 mm



RAD Power Machinery Co., Ltd.

r_a max.	0.3 mm
r_b max.	0.15 mm
d_n	18.5 mm
Basic dynamic load rating C	3.19 kN
Basic static load rating C_0	1.34 kN
Fatigue load limit P_u	0.057 kN
Attainable speed for grease lubrication	98000 r/min
Attainable speed for oil-air lubrication	150000 r/min
Ball diameter D_w	3.969 mm
Number of balls z	12
Reference grease quantity G_{ref}	0.31 cm ³
Preload class A G_A	17 N
Static axial stiffness, preload class A	15 N/ μ m
Preload class B G_B	53 N
Static axial stiffness, preload class B	24 N/ μ m
Preload class C G_C	110 N
Static axial stiffness, preload class C	33 N/ μ m
Calculation factor f	1.02
Calculation factor f_1	1
Calculation factor f_{2A}	1
Calculation factor f_{2B}	1.03
Calculation factor f_{2C}	1.05
Calculation factor f_{HC}	1.01
Calculation factor f_0	7.3
Mass bearing	0.019 kg